Malignant neoplasms of ill-defined, secondary and unspecified sites (C76–C80)

C76 **Malignant neoplasm of other and ill-defined sites**

Excludes: malignant neoplasm of:
- genitourinary tract NOS:
  - female (C57.9)
  - male (C63.9)
- lymphoid, haematopoietic and related tissue (C81–C96)
- unspecified site (C80)

C76.0 **Head, face and neck**
Cheek NOS
Nose NOS

C76.1 **Thorax**
Axilla NOS
Intrathoracic NOS
Thoracic NOS

C76.2 **Abdomen**

C76.3 **Pelvis**
Groin NOS
Sites overlapping systems within the pelvis, such as:
- rectovaginal (septum)
- rectovesical (septum)

C76.4 **Upper limb**

C76.5 **Lower limb**

C76.7 **Other ill-defined sites**

C76.8 **Overlapping lesion of other and ill-defined sites**
[See note 5 at the beginning of this chapter]

C77 **Secondary and unspecified malignant neoplasm of lymph nodes**

Excludes: malignant neoplasm of lymph nodes, specified as primary (C81–C87, C96.–)

C77.0 **Lymph nodes of head, face and neck**
Supraclavicular lymph nodes

C77.1 **Intrathoracic lymph nodes**

C77.2 **Intra-abdominal lymph nodes**

C77.3 **Axillary and upper limb lymph nodes**
Pectoral lymph nodes

C77.4 **Inguinal and lower limb lymph nodes**

C77.5 **Intrapelvic lymph nodes**

C77.8 **Lymph nodes of multiple regions**

C77.9 **Lymph node, unspecified**

C78 **Secondary malignant neoplasm of respiratory and digestive organs**

C78.0 **Secondary malignant neoplasm of lung**

C78.1 **Secondary malignant neoplasm of mediastinum**

C78.2 **Secondary malignant neoplasm of pleura**

C78.3 **Secondary malignant neoplasm of other and unspecified respiratory organs**

C78.4 **Secondary malignant neoplasm of small intestine**

C78.5 **Secondary malignant neoplasm of large intestine and rectum**

C78.6 **Secondary malignant neoplasm of retroperitoneum and peritoneum**
Malignant ascites NOS

C78.7 **Secondary malignant neoplasm of liver**

C78.8 **Secondary malignant neoplasm of other and unspecified digestive organs**

C79 **Secondary malignant neoplasm of other sites**

C79.0 **Secondary malignant neoplasm of kidney and renal pelvis**

C79.1 **Secondary malignant neoplasm of bladder and other and unspecified urinary organs**

C79.2 **Secondary malignant neoplasm of skin**

C79.3 **Secondary malignant neoplasm of brain and cerebral meninges**

C79.4 **Secondary malignant neoplasm of other and unspecified parts of nervous system**

C79.5 **Secondary malignant neoplasm of bone and bone marrow**

C79.6 **Secondary malignant neoplasm of ovary**

C79.7 **Secondary malignant neoplasm of adrenal gland**

C79.8 **Secondary malignant neoplasm of other specified sites**

C80 **Malignant neoplasm without specification of site**

Cancer
Carcinoma
Carcinomatosis
Generalized:
• cancer
• malignancy
Malignancy
Multiple cancer
Malignant cachexia
Primary site unknown

	unspecified site (primary)(secondary)

Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81–C96)

Note: The terms used in categories C82–C85 for non-Hodgkin's lymphomas are originally those of the Working Formulation, which attempted to find common ground among several major classification schemes. ~~The terms used in these schemes are not given in the Tabular List but appear in the Alphabetical Index; exact equivalence with the terms appearing in the Tabular List is not always possible~~With the 2009 version of ICD-10 it was attempted to adopt this block to the current WHO classification of haematologic neoplasm. This, however, was possible only to a certain degree, in order not to break completely with the existing structure of ICD-10.

Includes: morphology codes M959-M994 with behaviour code /3

Use additional code (C78-C79), if desired, to code additional affection of organ.

Excludes: secondary and unspecified neoplasm of lymph nodes (C77.–)

C81 **Hodgkin~~'s disease~~lymphoma**
Includes: morphology codes M965-M966 with behaviour code /3

C81.0 ~~**Lymphocytic predominance**~~**Lymphocyte-rich classical Hodgkin lymphoma**
~~Lymphocytic-histiocytic predominance~~

Excludes: Lymphocyte predominant Hodgkin lymphoma (C81.4)

C81.1 **Nodular ~~sclerosis~~sclerotic classic Hodgkin lymphoma**

C81.2 **Mixed cellularity classical Hodgkin lymphoma**

C81.3 **~~Lymphocytic depletion~~ Lymphocyte depleted classical Hodgkin lymphoma**

C81.4 **Nodular lymphocyte predominant Hodgkin lymphoma**
Nodular paragranuloma

C81.7 **Other ~~Hodgkin's disease~~classical Hodgkin lymphoma**
Classic Hodgkin lymphoma, type not specified

C81.9 **~~Hodgkin's disease~~Hodgkin lymphoma, unspecified**

C82 Follicular ~~[nodular] non-Hodgkin's~~ lymphoma

Includes: centroblastic/centrocytic lymphoma
follicular ~~non-Hodgkin's~~ lymphoma with or without diffuse areas
morphology code M969 with behaviour code /3

Excludes: T-cell non-Hodgkin lymphoma (C84.-)

C82.0 **~~Small cleaved cell, follicular~~Follicular lymphoma grade I (small cell, cleaved nucleus)**

C82.1 **~~Mixed small cleaved and large cell, follicular~~Follicular lymphoma grade II (mixed small and large cell, cleaved nucleus)**

C82.2 **~~Large cell, follicular~~Follicular lymphoma grade III, unspecified**

C82.3 **Follicular lymphoma grade IIIa**

C82.4 **Follicular lymphoma grade IIIb**

C82.5 **Diffuse follicle center lymphoma**

C82.6 **Cutaneous follicle center lymphoma**

C82.7 **Other types of follicular ~~non-Hodgkin's lymphoma~~lymphoma**

C82.9 **Follicular ~~non-Hodgkin's~~lymphoma, unspecified**
~~Nodular non-Hodgkin's lymphoma NOS~~
Nodular lymphoma of unspecified behavior
Nodular lymphoma NOS

C83 ~~Diffuse non-Hodgkin's~~Non-follicular lymphoma

Includes: morphology codes M9593, M9595, M967-M968 with behaviour code /3

C83.0 **Small cell ~~(diffuse)~~B-cell lymphoma**

Includes: immunocytoma [lymphoplasmatic lymphoma]
nodal marginal zone lymphoma
non-leukemic variant of B-CLL
splenic marginal zone lymphoma

Excludes: extranodal marginal zone lymphoma [MALT lymphoma] (C88.3)
macroglobulineamia Waldenström (C88.0)
T-cell lymphoma (C84.-)

C83.1 **~~Small cleaved cell (diffuse)~~Mantle cell lymphoma**

ALK-positive
Anaplastic
Centroblastic
Immunoblastic
Plasmablastic
T-cell rich
} large B-cell lymphoma

Includes: Centrocytic lymphoma

~~C83.2~~ **~~Mixed small and large cell (diffuse)~~**

C83.3 **~~Large (diffuse)~~Diffuse large B-cell lymphoma**
~~Reticulum cell sarcoma~~

Includes: diffuse large B-cell lymphoma, subtype not specified
Excludes: T-cell lymphoma (C84.-)
mediastinal [thymic] large B-cell lymphoma (C85.2)

~~**C83.4 Immunoblastic (diffuse)**~~

C83.5 Lymphoblastic ~~(diffuse)~~lymphoma
Note: This code should only be used for B- and T-precursor neoplasm with less then 25 percent infiltration of bone marrow.

~~**C83.6 Undifferentiated (diffuse)**~~

C83.7 Burkitt's ~~tumour~~lymphoma
Includes: „Burkitt-like“ lymphoma
mature B-ALL Burkitt-type

C83.8 Other ~~types of diffuse~~ non-~~Hodgkin's~~follicular lymphoma
Includes: primary effusion lymphoma
intravascular large B-cell lymphoma
lymphoid granulomatosis
Excludes: mediastinal [thymic] large B-cell lymphoma (C85.2)
T-cell rich B-cell lymphoma (C85.3)

C83.9 ~~Diffuse~~Non-follicular (diffuse) non-Hodgkin~~'s~~ lymphoma, unspecified

C84 Peripheral ~~and~~ T/NK-cell lymphomas

Includes: cutaneous T-cell lymphoma
morphology code M970 with behaviour code /3

C84.0 Mycosis fungoides

C84.1 Sézary~~'s disease~~ syndrome

C84.2 T-zone lymphoma

C84.3 Lymphoepithelioid lymphoma
Lennert's lymphoma

C84.4 ~~Peripheral T~~Unspecified peripheral T-cell lymphoma

C84.5 Other ~~and unspecified~~ T/NK-cell lymphomas
~~***Note:*** If T-cell lineage or involvement is mentioned in conjunction with a specific lymphoma, code to the more specific description.~~
Excludes: angioimmunoblastic T-cell lymphoma (C86.5)
blastic NK-cell lymphoma (C86.4)
enteropathy-type T-cell lymphoma (C86.2)
extranodal NK-cell-Lymphoma, nasal type (C86.0)
hepatosplenic T-cell lymphoma (C86.1)
mycosis fungoides (C84.0)
primary cutaneous CD30-positive T-cell proliferations (C86.6)
Sézary syndrome (C84.1)
subcutaneous panniculitis-like T-cell lymphoma (C86.3)
T-cell lymphoblastic lymphoma (C83.5)
T-cell leukaemia (C91.-)

C84.6 Anaplastic large cell lymphoma, ALK-positive
Anaplastic large cell lymphoma, CD30-positive

C84.7 Anaplastic large cell lymphoma, ALK-negative
Excludes: Primary cutaneous CD30-positive T-cell proliferations (C86.6)

C84.9 Peripheral T/NK-cell lymphoma, unspecified
Excludes: [Unspecified peripheral T-cell lymphoma (C84.4)

C85 Other and unspecified types of non-Hodgkin's lymphoma

Includes: morphology codes M9590-M9592, M9594, M971 with behaviour code /3

~~**C85.0 Lymphosarcoma**~~

C85.1 **B-cell lymphoma, unspecified**
~~***Note:*** If B-cell lineage or involvement is mentioned in conjunction with a specific lymphoma, code to the more specific description.~~

C85.2 **Mediastinal [thymic] large B-cell lymphoma**

~~**C85.7** **Other specified types of non-Hodgkin's lymphoma**~~
~~Malignant:~~
~~• reticuloendotheliosis~~
~~• reticulosis~~
~~Microglioma~~

C85.9 **Non-Hodgkin's lymphoma, unspecified ~~type~~**
~~Lymphoma NOS~~
~~Malignant lymphoma NOS~~
Non-Hodgkin's lymphoma NOS

C86 **Other specified types of T/NK-cell lymphoma**
Excludes: Anaplastic large cell lymphoma, ALK positive (C84.6)
Anaplastic large cell lymphoma, ALK positive (C84.7)

C86.0 **Extranodal NK-cell lymphoma, nasal type**

C86.1 **Hepatosplenic T-cell lymphoma**

C86.2 **Enteropathy-type T-cell lymphoma**

C86.3 **Subcutaneous panniculitis-like T-cell lymphoma**

C86.4 **Blastic NK-cell lymphoma**

C86.5 **Angioimmunoblastic T-cell lymphoma**
Angioimmunoblastic lymphadenopathy with dysproteinaemia [AILD]

C86.6 **Primary cutaneous CD30-positive T-cell proliferations**

C88 **~~Malignant~~Other B-cell lymphoma [malignant immunoproliferative diseases]**
Includes: morphology code M976 with behaviour code /3

C88.0 **Waldenström's macroglobulinaemia**
Lymphoplasmacytic lymphoma with IgM-production

~~**C88.1** **Alpha heavy chain disease**~~

C88.2 **Gamma heavy chain disease**
Franklin~~'s~~ disease

C88.3 **Immunoproliferative small intestinal disease [alpha heavy chain disease]**
~~Mediterranean disease~~

C88.4 **Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]**
Note: Use additional code (C83.3), if desired, to specify transition to high malignant (diffuse large cell) lymphoma.

C88.7 **Other malignant immunoproliferative diseases**

C88.9 **Malignant immunoproliferative disease, unspecified**
Immunoproliferative disease NOS

C90 **~~Multiple myeloma~~Plasmacytoma and malignant plasma cell neoplasms**
Includes: morphology codes M973, M9830 with behaviour code /3

C90.0 **Multiple myeloma**
Kahler's disease
Myelomatosis
Excludes: solitary ~~myeloma~~plasmacytoma (C90.2)

C90.1 **Plasma cell leukaemia**

C90.2 ~~**Plasmacytoma, extramedullary**~~**Solitary plasmacytoma**
Extramedullary plasmacytoma
~~Malignant~~Localized malignant plasma cell ~~tumour~~tumor NOS
Plasmacytoma NOS
Solitary myeloma

C91 Lymphoid leukaemia

Includes: morphology codes M982, M9940-M9941 with behaviour code /3

C91.0 **Acute lymphoblastic leukaemia**
Note: This code should only be used for T-cell and B-cell precursor leukaemia.
Excludes: ~~acute exacerbation of chronic lymphocytic leukaemia (C91.1)~~
mature B-cell leukaemia Burkitt type (C83.7)

C91.1 **Chronic lymphocytic leukaemia of B-cell type**
Includes: lymphoplasmacytic lymphoma/leukaemia
Richter syndrome

~~**C91.2 Subacute lymphocytic leukaemia**~~

C91.3 **Prolymphocytic leukaemia of B-cell type**

C91.4 **Hairy- cell leukaemia**
Leukaemic reticuloendotheliosis

C91.5 **Adult T-cell lymphoma/leukaemia (HTLV-1-associated)**

Acute Chronic Lymphomatous Smoldering	variant

C91.6 **Prolymphocytic leukaemia of T-cell type**

C91.7 **Other lymphoid leukaemia**
Includes: T-cell large granular lymphocytic leukaemia (associated with rheumatic arthritis)

C91.9 **Lymphoid leukaemia, unspecified**

C92 Myeloid leukaemia

Includes: ~~leukaemia:~~
~~• granulocytic~~
~~• myelogenous~~
morphology codes M986-M988, M9930 with behaviour code /3

C92.0 **Acute ~~myeloid~~myeloblastic leukaemia [AML]**
Acute myeloblastic leukaemia, minimal differentiated
Acute myeloblastic leukaemia (with maturation)
Includes: AML M0
AML M1
AML M2
AML with t(8;21)
AML1/ETO
AML not differentiated
~~***Excludes:*** acute exacerbation of chronic myeloid leukaemia (C92.1)~~

C92.1 **Chronic myeloid leukaemia [CML], BCR/ABL-positive**
Includes: crisis of blast cell
Excludes: atypical chronic myeloid leukaemia (C92.2)
chronic myelomonocytic leukaemia (C93.1)
unclassified myeloproliferative disease (D47.1)

C92.2 ~~**Subacute**~~**Atypical chronic myeloid leukaemia, BCR/ABL-negative**
Subacute myeloid leukaemia

C92.3 **Myeloid sarcoma**
Note: As a tumor growing variant of myeloid leukaemia.

Chloroma
Granulocytic sarcoma

C92.4 Acute promyelocytic leukaemia [PML]
Includes: AML M3
AML M3 with t(15;17) and variants

C92.5 Acute myelomonocytic leukaemia
Includes: AML M4
AML M4 Eo with inv(16) or t(16;16)

C92.6 Acute myeloid leukaemia with 11q23-abnormity
Acute myeloid leukaemia with variation of MLL-gene

C92.7 Other myeloid leukaemia
Excludes: Chronic eosinophilic leukaemia [hypereosinophilic syndrome] (D47.5)

C92.8 Acute myeloid leukaemia with multilineage dysplasia
Note: Acute myeloid leukaemia with dysplasia of remaining haematopoesis and/or myelodysplastic disease in its history.

C92.9 Myeloid leukaemia, unspecified

C93 Monocytic leukaemia
Includes: monocytoid leukaemia
morphology code M989 with behaviour code /3

C93.0 Acute monoblastic and monocytic leukaemia
~~***Excludes:*** acute exacerbation of chronicmonocytic leukaemia (C93.1)~~
Includes: AML M5a
AML M5b
AML M5

C93.1 Chronic myelomonocytic leukaemia
Chronic monocytic leukaemia
Includes: CMML-1
CMML-2
CMML with eosinophilia
Excludes: juvenile myelomonocytic leukaemia (D46.8)

C93.2 ~~Subacute~~ Juvenile myelomonocytic leukaemia

C93.7 Other monocytic leukaemia

C93.9 Monocytic leukaemia, unspecified

C94 Other leukaemias of specified cell type
Includes: morphology codes M984, M9850, M9900, M9910, M9931-M9932 with behaviour code /3
Excludes: leukaemic reticuloendotheliosis (C91.4)
plasma cell leukaemia (C90.1)

C94.0 Acute ~~erythraemia and erythro~~erythroid leukaemia
Acute erythraemic myelosis
Acute myeloic leukaemia, M6 (a) (b)
Di Guglielmo's disease

~~**C94.1 Chronic erythraemia**~~
~~Heilmeyer-Schöner disease~~

C94.2 **Acute megakaryoblastic leukaemia**
~~Leukaemia:~~
~~• megakaryoblastic (acute)~~
~~• megakaryocytic (acute)~~
Acute myeloic leukaemia, M7
Acute megakaryocytic leukaemia

C94.3 **Mast cell leukaemia**

C94.4 **Acute panmyelosis with myelofibrosis**
Acute myelofibrosis

~~**C94.5 Acute myelofibrosis**~~

C94.6 **Myelodysplastic / myeloprolifarative disease, not classifiable**

C94.7 **Other specified leukaemias**
~~Lymphosarcoma cell leukaemia~~
Excludes: aggressive NK-cell leukaemia
acute basophilic leukaemia

C95 **Leukaemia of unspecified cell type**
Includes: morphology code M980 with behaviour code /3

C95.0 **Acute leukaemia of unspecified cell type**
~~Blast cell~~ Biphenotypic acute leukaemia of unclear lineage
Stem cell leukaemia
~~***Excludes:*** acute exacerbation unspecified chronic leukaemia (C95.1)~~

C95.1 **Chronic leukaemia of unspecified cell type**
Includes: acute exacerbation of unspecified chronic leukaemia

C95.2 **Subacute leukaemia of unspecified cell type**

C95.7 **Other leukaemia of unspecified cell type**

C95.9 **Leukaemia, unspecified**

C96 **Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue**
Includes: morphology codes M972, M974 with behaviour code /3

C96.0 **Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis [Letterer-Siwe disease]**
~~Nonlipid:~~
~~• reticuloendotheliosis~~
~~• reticulosis~~

C96.1 ~~**Malignant histiocytosis**~~ **Histiocytic sarcoma**
~~Histiocytic medullary reticulosis~~
Excludes: Langerhans-cell histiocytosis (C96.5)
Langerhans-cell sarcoma (C96.4)

C96.2 **Malignant mast cell tumour**
~~Malignant:~~
~~• mastocytoma~~
~~• mastocytosis~~
Aggressive systemic mastocytosis
Mast cell sarcoma
Excludes: indolent mastocytosis (D47.0)
(congenital) mastocytosis (cutaneous) (Q82.2)
mast cell leukaemia (C94.3)

~~**C96.3 True histiocytic lymphoma**~~

C96.4 **Sarcoma of dendritic cells (accessory cells)**

Includes: interdigitating dendritic cell sarcoma
Langerhans-cell sarcoma
sarcoma of follicular dendritic cells

C96.5 Multifocal and unisystemic Langerhans-cell histiocytosis
Hand-Schueller-Christian disease
Histiocytosis X, multifocal

C96.6 Unifocal Langerhans-cell histiocytosis
Eosinophilic granuloma
Histiocytosis X, unifocal

C96.7 Other specified malignant neoplasms of lymphoid, haematopoietic and related tissue

C96.9 Malignant neoplasm of lymphoid, haematopoietic and related tissue, unspecified

Malignant neoplasms of independent (primary) multiple sites (C97)

C97 Malignant neoplasms of independent (primary) multiple sites

Note: For use of this category, reference should be made to the mortality coding rules and guidelines in Volume 2.

D45 **Polycythaemia vera**
Morphology code M9950 with behaviour code /1

D46 **Myelodysplastic syndromes**
Includes: morphology code M998 with behaviour code /1

D46.0 **Refractory anaemia without ringed sideroblasts, so stated**
Note: Without sideroblasts, without excess blasts.

D46.1 **Refractory anaemia with ringed sideroblasts, so stated**

D46.2 **Refractory anaemia with excess of blasts**
Includes: RAEB I
REAB II

~~**D46.3** **Refractory anaemia with excess of blasts with transformation**~~

D46.4 **Refractory anaemia, unspecfied**

D46.5 **Refractory anaemia with multi-lineage dysplasia**

D46.6 **Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality**
5q-minus syndrome

D46.7 **Other myelodysplastic syndromes**
Excludes: chronic myelomonocytic leukaemia (C93.1)

D46.9 **Myelodysplastic syndrome, unspecified**
Myelodysplasia NOS
Preleukaemia (syndrome) NOS

D47 **Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue**
Includes: morphology codes M974, M976, M996-M997 with behaviour code /1

D47.0 **Histiocytic and mast cell tumours of uncertain and unknown behaviour**
Mast cell tumour NOS
Mastocytoma NOS
Includes: indolent systemic mastocytosis
Systemic mastocytosis, associated with clonal haematopoietic non-mast-cell disease (SM-AHNMD) (code haematopoietic disease separately)
Excludes: (congenital) mastocytosis (cutaneous) (Q82.2)

D47.1 **Chronic myeloproliferative disease**
Myelofibrosis (with myeloid metaplasia)
Myeloproliferative disease, unspecified
Myelosclerosis (megakaryocytic) with myeloid metaplasia

D47.2 **Monoclonal gammopathy**

D47.3 **Essential (haemorrhagic) thrombocythaemia**
Idiopathic haemorrhagic thrombocythaemia

D47.4 **Osteomyelofibrosis**
Chronic idiopathic myelofibrosis
Myelofibrosis (idiopathic) (with myeloid metaplasia)
Myelosclerosis (megakaryocytic) with myeloid metaplasia
Includes: secondary myelofibrosis in myeloproliferative disease
Excludes: acute myelofibrosis (C94.4)

D47.5 **Chronic eosinophilic leukaemia [hypereosinophilic syndrome]**

D47.7 **Other specified neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue**

D47.9 **Neoplasm of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue, unspecified**
Lymphoproliferative disease NOS

D48.– **Neoplasm of uncertain or unknown behaviour of other and unspecified sites**
Excludes: neurofibromatosis (nonmalignant) (Q85.0)

D48.0 **Bone and articular cartilage**
Excludes: cartilage of:
- ear (D48.1)
- larynx (D38.0)
- nose (D38.5)

connective tissue of eyelid (D48.1)
synovia (D48.1)

D48.1 **Connective and other soft tissue**
Connective tissue of:
- ear
- eyelid

Excludes: cartilage (of):
- articular (D48.0)
- larynx (D38.0)
- nose (D38.5)

connective tissue of breast (D48.6)

D48.2 **Peripheral nerves and autonomic nervous system**
Excludes: peripheral nerves of orbit (D48.7)

D48.3 **Retroperitoneum**

D48.4 **Peritoneum**

D48.5 **Skin**
Anal:
- margin
- skin

Perianal skin
Skin of breast

Excludes: anus NOS (D37.7)
skin of genital organs (D39.7, D40.7)
vermilion border of lip (D37.0)

D48.6 **Breast**
Connective tissue of breast
Cystosarcoma phyllodes

Excludes: skin of breast (D48.5)

D48.7 **Other specified sites**
Eye
Heart
Peripheral nerves of orbit

Excludes: connective tissue (D48.1)
skin of eyelid (D48.5)

D48.9 **Neoplasm of uncertain or unknown behaviour, unspecified**
"Growth" NOS
Neoplasm NOS
New growth NOS
Tumour NOS

~~**D75.2 Essential thrombocytosis**~~

~~***Excludes:*** ~~essential (haemorrhagic) thrombocythaemia (D47.3)~~~~

D76.- Specified diseases with participation of lymphoreticulary and reticulohistiocytic tissue

Excludes: (Abt-)Letterer-Siwe disease (C96.0)
Langerhans-cell histiocytosis, multifocal (C96.5)
Langerhans-cell histiocytosis, unifokal (C96.6)
Hand-Schüller-Christian disease (C96.5)
Histiocytosis X, multifocal (C96.5)
Histiocytosis X, unifocal (C96.6)
histiocytic sarkoma (C96.1)
eosinophilic granuloma (C96.6)

D76.1 Haemophagocytic lymphohistiocytosis
Familial haemophagocytic reticulosis
Histiocytosis of mononuclear phagocytes

Excludes: Histiocytosis of Langerhans-cells NOS **(?)**

D76.2 Hämophagocytic syndrome, infection-associated
Use additional code, if desired, to identify infectious agent or disease.

D76.3 Other histiocytosis syndromes
Reticulohistiocytoma (giant-cell)
Sinus histiocytosis with massive lymphadenopathy
Xanthogranuloma